


CUTTING INSTRUCTIONS

Each cutting instruction indicates which block colorway cut fabric pieces will be used in. To stay true to the quilt image, separate cut fabric pieces by Colorways A-Y and label. Reference the block guide in the piecing instructions for fabric combinations in Block Colorways A-Y. Reference the Cutting Chart below for the most efficient use of fabric.



RS4005 47

- (4) 4½" squares and (4) 5" squares for Colorway A.
- (4) 5" squares for Colorway D.



RS5027 26M

- (4) 5" squares for Colorway A.
- (4) 4½" squares and (4) 5" squares for Colorway K.



RS1046 24

- (4) 4½" squares and (4) 5" squares for Colorway B.
- (4) 5" squares for Colorway K.



RS1046 25

- (4) 5" squares for Colorway B.
- (4) 4½" squares and (5) 5" squares for Colorway P.



RS5027 94M

- (4) 4½" squares and (4) 5" squares for Colorway C.
- (4) 5" squares for Colorway P.



RS0005 15

- (4) 5" squares for Colorway C.
- (4) 4½" squares and (5) 5" squares for Colorway R.



RS4005 17

- (4) 4½" squares and (4) 5" squares for Colorway D.
- (4) 5" squares for Colorway E.



RS5027 35M

- (4) 4½" squares and (4) 5" squares for Colorway E.
- (4) 5" squares for Colorway N.



RS5027 43M

- (4) 4½" squares and (4) 5" squares for Colorway F.
- (4) 5" squares for Colorway S.



RS0005 37M

- (4) 5" squares for Colorway F.
- (4) 4½" squares and (4) 5" squares for Colorway Y.



RS0005 57M

- (4) 4½" squares and (4) 5" squares for Colorway G.
- (4) 5" squares for Colorway T.



RS4005 42

- (4) 5" squares for Colorway G.
- (4) 4½" squares and (4) 5" squares for Colorway H.



RS0005 53M

- (4) 5" squares for Colorway H.
- (4) 4½" squares and (4) 5" squares for Colorway S.



RS5027 73M

- (4) 4½" squares and (4) 5" squares for Colorway I.
- (4) 5" squares for Colorway X.



RS0005 55M

- (4) 5" squares for Colorway I.
- (4) 4½" squares and (4) 5" squares for Colorway O.



RS3025 23

- (4) 4½" squares and (4) 5" squares for Colorway J.
- (4) 5" squares for Colorway Q.



RS4005 29

- (4) 5" squares for Colorway J.
- (4) 4½" squares and (4) 5" squares for Colorway M.



RS5027 37M

- (4) 4½" squares and (4) 5" squares for Colorway L.
- (4) 5" squares for Colorway W.



RS4005 45

- (4) 5" squares for Colorway L.
- (4) 4½" squares and (4) 5" squares for Colorway T.



RS4005 54

- (4) 5" squares for Colorway M.
- (4) 4½" squares and (4) 5" squares for Colorway W.



RS4005 20

- (4) 4½" squares and (4) 5" squares for Colorway N.
- (4) 5" squares for Colorway Y.



RS5027 63M

- (4) 5" squares for Colorway O.
- (4) 4½" squares and (4) 5" squares for Colorway V.



RS0005 35M

- (4) 4½" squares and (4) 5" squares for Colorway Q.
- (4) 5" squares for Colorway V.

**RS4005 44**

- (4) 5" squares for Colorway U.
- (4) 4½" squares and (4) 5" squares for Colorway X.

**RS5027 36M**

- (4) 5" squares for Colorway R.
- (4) 4½" squares and (4) 5" squares for Colorway U.

**RS1046 23**

- (2) 8½" squares for Colorways E & U.

**RS3025 14**

- (2) 8½" squares for Colorways A & Y

**RS3025 22**

- (1) 8½" square for Colorway M

From the Panel:

**RS5125 11**

- Cut (20) panel images measuring 8½" x 8½" unfinished. This pattern will use the whole panel.

From the Sashing Fabric:

**RS5027 98M**

- Cut (4) 16½" x WOF strips. Subcut (60) 16½" x 2½" sashing strips.

From the Corners & Binding Fabric::

**RS5027 71M**

- Cut (10) 2½" x WOF strips for binding.
- Cut (3) 2½" x WOF strips. Subcut (36) 2½" squares for cornerstones.


PIECING INSTRUCTIONS

all seam allowances ¼" unless otherwise noted

BLOCK ASSEMBLY

Each block uses (1) 8½" x 8½" panel image or basic square, (4) 5" print fabric squares, (4) 5" squares and (4) 4½" squares from the same print. Prints used within each block should be contrasting. See the example below for the gathered pieces used in Block Colorway L.

Note: only Colorways A, E, M, U, & Y use a basic in the center.




lightest print fabric for Block Colorway L.

Place each of the (4) 5" squares with a drawn diagonal line with a 5" square from the other print fabric gathered for Block Colorway L, right sides together.



Sew ¼" away from either side of the drawn diagonal line on each set of squares.

Cut along the drawn diagonal lines as shown, creating (8) HST units. Press seams open. Trim each HST unit to measure 4½" x 4½" unfinished.




Arrange (8) HST units, (4) 4½" print fabric squares and the 8½" x 8½" panel image to form Block Colorway L.

Sew Block Colorway L together, using arrows for pressing. Once complete, the block should measure 16½" x 16½" unfinished.




Repeat Steps 1-7 to complete Block Colorways A-Y as shown in the diagrams. Reference the cutting instructions for fabric combination assistance. Each block should measure 16½" x 16½" unfinished.

Colorway A



Colorway B




Colorway C



Colorway D



Colorway E




Colorway F



Colorway G



Colorway H




Colorway I



Colorway J




Colorway K



Colorway L




Colorway M



Colorway N



Colorway O



Colorway P



Colorway Q




Colorway R




Colorway S



Colorway T



Colorway U




Colorway V



Colorway W



Colorway X



Colorway Y



ASSEMBLY INSTRUCTIONS

Arrange Block Colorways A-Y in a 5 x 5 grid. Block Colorways A-Y should be placed alphabetically moving left to right within each row. Place (1) 2½" x 16½" sashing strip vertically in between each block and at either end of each block row.

Arrange (6) 2½" cornerstones and (5) 2½" x 16½" sashing strips to make a sashing row. Place sashing rows between each block row and at the top and bottom of the quilt top.

Sew block rows together, pressing seams toward the sashing strips.

Sew sashing rows together, pressing seams toward the sashing strips.

Sew block and sashing rows together to complete the quilt top. The quilt top should measure 92½" x 92½" unfinished.

2½" 2½" x 16½"



FINISHING INSTRUCTIONS

Baste the quilt top with batting and backing.

Quilt as desired.

Bind the quilt using (10) 2½" x WOF strips.



YOU DID IT! YOU MADE A PATCHWORK PANEL QUILT!!

Be sure to use #rubystarsociety and #patchworkpanel when sharing your creations so we can see them!

★ RUBY STAR
SOCIETY ★

 @rubystarsociety

moda
FABRICS + SUPPLIES

PATCHWORK PANEL QUILT

The Patchwork Panel includes 20 of the Ruby Star Society designer's favorite motifs. Use the full panel along with 28 fat quarters of your favorite Ruby Star Society basics to make this beautiful queen sized quilt!

Fabrics in this cover quilt include the Patchwork Panel and basics from Spark, Add It Up, Hole Punch Dot, and Speckled.



92" x 92"

FABRIC REQUIREMENTS



RS5125 11

1 full Patchwork Panel



SASHING

RS5027 98M

2 yd



CORNERS & BINDING

RS5027 71M

1 yd

PIECING

28 FQ's of your favorite basics

(see cutting instructions if you want to use the exact basics we did for the cover quilt)

Instructions Key:

WOF = width of fabric

FQ = Fat Quarter

RST = right sides together

HST = half square triangle

All seam allowances are $\frac{1}{4}$ " unless otherwise noted

BACKING: $8\frac{1}{2}$ yds (44" wide) or $2\frac{7}{8}$ (108" wide)

BATTING: at least 98" x 98"

★ RUBY STAR
SOCIETY ★

moda
FABRICS + SUPPLIES

Copyright 2021 Ruby Star Society. Copying or otherwise redistributing is strictly prohibited. For personal use only.